

AGRICULTURAL FILM SOLUTIONS

Covering crops.
Supporting growth.

Greenhouse covers, mulch films and
specialist agricultural protection.

Made in Türkiye. Supplied worldwide.

a2zeximco.com



YOUR SUPPLY PARTNER

Turkish sourcing. Global reach.

A2Z EXIMCO connects international buyers with agricultural film solutions from Türkiye.

As an exporter and sourcing partner based in Ankara, we support importers, distributors, dealers and commercial growers with product selection, supplier coordination and export communication.



ONE POINT OF CONTACT

01 Product specification

Film type, thickness, dimensions and additive configuration.

02 Commercial coordination

Product availability, quotations, order details and lead times.


03 Export preparation

Packing requirements, shipment planning and documentation.

PRODUCT PORTFOLIO

A complete film range

Select a product family and use the A2Z range reference when requesting a quotation.




01

Greenhouse covers

Classic, Thermal, Pro, Performance and Max

PAGE 04-08




02

Mulch films

Transparent, black, reflective and specialist films

PAGE 09-10




03

Silage covers

Four colour combinations for livestock farming

PAGE 11



04

Thermal screens

Energy film options for protected cultivation

PAGE 12




05

Low tunnel films

Seasonal crop covers and perforated options

PAGE 13



06

Solarization films

Soil treatment films for pre-planting use

PAGE 14




07

Agricultural bags

Nursery, soilless, anti-fog and collecting bags

PAGE 15-16



08

Geomembranes

LDPE liners for containment applications

PAGE 17



09

Flame-retardant film

Temporary covering and protection

PAGE 18

01 / GREENHOUSE COVERS

The right cover for your growing conditions

Choose a film family around light, temperature, condensation and the planned crop cycle.



From high-transparency covers to advanced climate-control films, the range combines different additive packages with several duration and thickness options.

A2Z family	Duration options	Primary focus
A2Z Classic	9-60 months	Light transmission + UV resistance
A2Z Thermal / Lux	9-60 months	Thermal retention + light diffusion
A2Z Pro	12-60 months	Anti-drip performance
A2Z Performance / Lux	12-60 months	Thermal + diffusion + anti-drip
A2Z Max / Lux	24-60 months	Thermal + anti-mist + anti-dust

Selection matters. Tell us the destination, crop, greenhouse structure and chemical-use programme so the proposed film can be matched to the application.

01 / GREENHOUSE COVERS

A2Z Classic & A2Z Thermal

Core cover options for transparent and thermally managed greenhouse environments.

A2Z Classic

A2Z-GH-C

High-transparency greenhouse cover with mechanical strength and UV resistance.

DURATION / THICKNESS

Months	µm
9	100
12	100
24	150
36	180
60	200

INCLUDED ADDITIVES

- UV stabilisation
- Antibacterial additive
- Antioxidant additive

A2Z Thermal / Lux

A2Z-GH-T / A2Z-GH-TL

Thermal greenhouse cover combining heat retention, light diffusion and mechanical strength.

DURATION / THICKNESS

Months	µm
9	90
12	100
24	150
36	180
60	200

INCLUDED ADDITIVES

- UV stabilisation
- Antibacterial additive
- Antioxidant additive
- Thermal retention
- Light diffusion
- EVA

Clear IR is optional. Confirm the Lux formulation in the quotation.

01 / GREENHOUSE COVERS

A2Z Pro & A2Z Performance

Anti-drip film options, with a wider climate-control package in the Performance family.

A2Z Pro

A2Z-GH-P

Greenhouse cover with anti-drip performance and a strong film structure.

DURATION / THICKNESS

Months	µm
12	100
24	150
36	180
60	200

INCLUDED ADDITIVES

- UV stabilisation
- Antibacterial additive
- Antioxidant additive
- Anti-fog / anti-drip
- EVA

A2Z Performance / Lux

A2Z-GH-PF / A2Z-GH-PFL

Combines thermal retention, anti-drip performance and light diffusion for protected cultivation.

DURATION / THICKNESS

Months	µm
12	100
24	150
36	180
60	200

INCLUDED ADDITIVES

- UV stabilisation
- Antibacterial additive
- Antioxidant additive
- Thermal retention
- Light diffusion
- EVA
- Anti-fog / anti-drip

Clear IR is optional. Confirm the Lux formulation in the quotation.

01 / GREENHOUSE COVERS

A2Z Max & A2Z Max Lux

An extended additive package for greenhouse climate management.



A2Z-GH-MX / A2Z-GH-MXL

Thermal performance, light diffusion and condensation control in one film family.

- UV stabilisation
- Antibacterial additive
- Antioxidant additive
- Thermal retention
- Light diffusion
- EVA
- Anti-fog / anti-drip
- Anti-mist
- Anti-dust

Months	µm
24	150
36	180
60	200

MAX LUX

Includes Clear IR for thermal retention with high light transmission.

FILM TECHNOLOGY

Understand the additive package

Film properties are combined according to the selected family and the agreed formulation.

UV

UV stabilisation

Helps protect the film against degradation from ultraviolet exposure.

AB

Antibacterial

Formulated to inhibit bacterial growth on the film.

AO

Antioxidant

Helps protect the polymer against oxidation.

IR

Thermal retention

Helps reduce heat loss from the greenhouse at night.

LD

Light diffusion

Scatters incoming sunlight for a more diffuse light environment.

EVA

EVA modification

Supports the film's mechanical and thermal properties.

AF

Anti-fog / anti-drip

Promotes a water layer instead of large condensation droplets.

AM

Anti-mist

Helps reduce mist associated with greenhouse condensation.

AT

Anti-dust

Helps limit dust build-up and maintain light transmission.

CR

Chemical resistance

Improves resistance to specified sulphur and chlorine exposure.

CL

Clear IR

Combines thermal retention with high light transparency.

CO

Cooling effect

Modifies incoming radiation to help moderate daytime heat.

AV

UV management

Alters the light spectrum for use in crop-protection programmes.

CY

Crystal clarity

An optical option for high light transmission.

02 / MULCH FILMS

Protect the soil. Support the crop.

Mulch films for moisture conservation, temperature management and crop-specific growing systems.



A range of transparent, black and reflective films for vegetable and fruit production. Select colour, thickness and perforation layout to suit the crop and planting system.

SPECIALIST OPTIONS

Fumigation and economy mulch options are available for specification on request.

A2Z mulch range	Thickness (µm)	Duration option
Transparent	10	Seasonal
Black	30	12 months
Super	20	24 months
Black & white	30	12 months
Black & silver-grey	30	12 months
Semi-transparent	30	12 months

PLANTING-HOLE LAYOUTS



Single row



Double row



Staggered

02 / MULCH FILMS

Choose the surface that fits your crop

Colour and light transmission influence the growing environment beneath the film.



Transparent mulch

Transmits sunlight to encourage soil warming. Select weed-management measures appropriate to the crop.



Black mulch

An opaque film for weed suppression, soil moisture conservation and temperature management.



Super mulch

A 20 µm option with a listed 24-month duration class for extended-use requirements.

Black & white mulch

A reflective white upper surface with an opaque black layer for growing systems in warmer conditions.

Black & silver-grey mulch

A reflective surface with an opaque layer for light and soil-temperature management.

Semi-transparent mulch

Balances partial light transmission with soil-cover performance. Match the grade to the crop.

03 / SILAGE COVERS

Protect feed quality during storage

Opaque, UV-stabilised covers for silage in livestock and dairy farming.



WHITE / BLACK



GREEN / BLACK



YELLOW / BLACK



BLUE / BLACK

Up to 16 m

Film width

150-200 µm

Film thickness

0%

Light transmission

Designed to shield silage from external exposure, with high mechanical strength and a sealing function. The film includes a UV stabiliser for outdoor use.

A2Z-SI

Specify colour combination, width, thickness, roll format and required quantity with your enquiry.

04 / THERMAL SCREENS

A2Z Energy film range

Internal greenhouse films with different thermal, optical and condensation-control packages.

Select the energy film by minimum thickness and additive configuration. All seven ranges include antibacterial and antioxidant additives.



A2Z range	Min. thickness (µm)	AB + AO	Thermal	Anti-drip	Anti-mist	Clear IR
A2Z Energy Classic	17	✓	-	-	-	-
A2Z Energy Thermal	17	✓	✓	-	-	-
A2Z Energy Pro	30	✓	Confirm	Confirm	-	-
A2Z Energy Performance	30	✓	✓	✓	-	-
A2Z Energy Performance Lux	30	✓	✓	✓	-	✓
A2Z Energy Max	30	✓	✓	✓	✓	-
A2Z Energy Max Lux	30	✓	✓	✓	✓	✓

Energy Pro: confirm the thermal / anti-drip configuration before ordering. Minimum thickness values are shown; the final film specification is agreed with the quotation.

05 / LOW TUNNEL FILMS

A protected start to the growing season

Polyethylene covers for low-growing crops, including strawberries and watermelons.



A low tunnel uses a lightweight hoop structure covered with PE film. Film length can be specified to suit the installation.

20-50 μm

Film thickness

Seasonal / 12 months

Duration options

- Helps retain heat and moisture.
- Supports earlier crop production.
- Ventilation through side opening.
- Perforated films on request.
- Length according to requirements.

06 / SOLARIZATION FILMS

Prepare the soil before planting

Thin films for heat- and gas-barrier applications in solarization programmes.



Designed for soil treatment programmes targeting soil-borne pests, pathogens and weeds. Treatment effectiveness depends on the local climate, preparation and application method.

Specification	A2Z solarization film
Film thickness	17 µm
Listed duration	60 days
Roll weight reference	20 kg
UV stabilisation	Included
Antibacterial / antioxidant	Included
Special additives	Included
Coverage per roll	Confirm with quotation

Coverage and the final treatment specification are confirmed for the selected roll format and application.

07 / AGRICULTURAL BAGS

Nursery & landscape bags

UV-stabilised growing bags for seedlings, young trees, vegetables, fruit and flowers.



- Perforated bases allow excess water to drain.
- Suitable for nursery and propagation use.
- Select the bag size to match the growing stage.

Width × length (cm)	Gusset (cm)	Volume (cm ³)	Quantity (pcs/kg)
8 × 13	2.5 + 2.5	420	427
10 × 20	3 + 3	1,020	188
12 × 20	4 + 4	1,536	150
12 × 25	4 + 4	2,016	120
15 × 25	5 + 5	3,000	87
15 × 30	5 + 5	3,750	72
15 × 35	5 + 5	4,500	62
18 × 30	6 + 6	5,184	60
18 × 35	6 + 6	6,264	51
20 × 30	6.5 + 6.5	6,110	50
20 × 35	6.5 + 6.5	7,410	43
20 × 40	6.5 + 6.5	8,710	37
25 × 35	8 + 8	10,800	30
25 × 45	8 + 8	14,800	23

Dimensions and quantities are indicative catalogue values. Confirm the final bag format with your quotation.

07 / AGRICULTURAL BAGS

Growing, handling & fresh-produce bags

Practical bag formats for cultivation, harvesting and produce presentation.



A2Z SOILLESS GROWING BAGS

White outside, black inside, with 0% light transmission. UV-stabilised film with a listed thickness of **100 µm**. Width, length, thickness and volume can be specified.

ANTI-FOG PRODUCE BAGS

Transparent, easy-opening bags for packaging fresh fruit and vegetables, with a clear and bright presentation.



COLLECTING BAGS

Made to the requested dimensions, with custom printing available according to the order requirements.

Specify: dimensions / thickness / print / quantity

08 / GEOMEMBRANES

LDPE liners for containment applications

Flexible black liners for water retention, agricultural containment and selected construction uses.



A2Z-GM

A flexible LDPE film range for lining and barrier applications. Select the format around the installation and the project specification.

Up to 16 m

Film width

Up to 250 μ m

Film thickness

- Pond and reservoir lining
- Agricultural silage pits
- Construction waterproofing

For wastewater, mining or landfill applications, confirm the required thickness, installation design and project-specific technical suitability.

09 / SPECIALIST PROTECTION

Flame-retardant plastic film

Temporary protective covering for interior and exterior building applications.



A2Z-FR

LDPE film combined with flame-retardant additives using co-extrusion technology.

Up to 16 m

Available film width

For covering buildings, surfaces, furniture and other materials during temporary protection works.

Declared grade: B1


Request grade-specific test documentation for the intended use.

PACKING & SHIPMENT


Prepared for your handling requirements

Loading and closure options can be coordinated with the export order.


SHIPMENT FORMATS




Jumbo roll with rope



Small rolls with rope




Bulk loading




Pallet loading


PACKAGING CLOSURES



Corded



Clip



Band




Cap

Confirm roll weight, core requirements, packing method, loading format and destination details with your quotation.


FOLDING FORMATS

Film presentation & folding options


State the required folding format alongside the film dimensions.




1S Sheet




4F Four-fold open




2T Closed tube



4T Four-fold closed



2F Tube open on one side



4F Four-fold closed, one side open



8F Eight-fold

INCLUDE THE FORMAT IN YOUR ENQUIRY

Some folding configurations share a code. Please include the format description and confirm whether dimensions refer to the open film or the folded roll.

REQUEST A QUOTATION

A clear specification. A relevant offer.

Send your application details to A2Z EXIMCO so we can coordinate the appropriate film proposal.

Information required	What to include
Product family	A2Z range name or catalogue reference
Application	Crop, greenhouse type or intended use
Dimensions	Open width, length, thickness and required tolerances
Duration & conditions	Service period, destination climate and season
Additive package	Thermal, optical, condensation and other requirements
Chemical exposure	Planned sulphur / chlorine treatments, where applicable
Quantity & packing	Roll weight, total quantity, folding and loading format
Delivery	Destination port or address and requested schedule

DIRECT ENQUIRIES

Your A2Z point of contact.

oguz.kagan.ates@a2zeximco.com

+90 553 002 19 52


Ankara, Türkiye

Final specifications, availability, performance conditions and warranty terms are confirmed in the written quotation. Catalogue reference: A2Z-AF-EN-2026.



A2Z EXIMCO

Exporter & Supplier
Ankara, Türkiye



Explore A2Z EXIMCO

a2zeximco.com

Your next order starts here.

Agricultural film solutions
for international markets.

SALES & PRODUCT ENQUIRIES

oguz.kagan.ates@a2zeximco.com

+90 553 002 19 52

Made in Türkiye. Supplied worldwide.

A2Z-AF-EN-2026