



A2Z CONSTRUCTION

09 PRODUCT CATEGORY

Concrete & Asphalt Cutting Equipment

Gasoline and diesel floor saws for accurate, high-output cutting across concrete and asphalt applications.

5

CATALOGUED PRODUCT LINES

ENGINEERED FOR PRACTICAL, DEMANDING WORKSITE USE



Diesel Asphalt and Concrete Cutting Machine

A2ZLDH1000

PRODUCT OVERVIEW

The A2ZLDH1000 Diesel Semi-Automatic Asphalt and Concrete Cutting Machine is a heavy-duty professional cutting solution designed for demanding asphalt, concrete, road repair, industrial floor cutting, and infrastructure applications. With its powerful diesel engine, large blade capacity, semi-automatic travel system, and strong chassis structure, it is suitable for users who need deep cutting performance, high stability, and reliable operation on challenging job sites.

EXPORT-READY CONFIGURATION

Final model specifications are confirmed with the commercial offer.

TECHNICAL SPECIFICATIONS

Technical Specification	A2ZLDH1000
Fuel Type	Diesel
Engine	Lombardini Diesel
Engine Power	28.5 hp
Starter	Electric starter / battery
Movement System	Semi-Automatic
Blade Capacity	1000 mm
Water Tank	65 L
Cutting Depth	15-40 cm
Blade Lowering System	Mechanical-Hydraulic
Package Size	1000 × 1200 × 1700 mm
Weight	380 kg

Diesel Semi-Automatic Asphalt and Concrete Cutting Machine

A2ZDSA800

PRODUCT OVERVIEW

The A2ZDSA800 Diesel Semi-Automatic Asphalt and Concrete Cutting Machine is a heavy-duty cutting solution designed for professional asphalt, concrete, road repair, floor cutting, and infrastructure applications. With its strong diesel engine, semi-automatic movement system, and durable chassis structure, it is suitable for demanding job sites where deep cutting performance, stability, and operator control are essential.

EXPORT-READY CONFIGURATION

Final model specifications are confirmed with the commercial offer.

TECHNICAL SPECIFICATIONS

Technical Specification	A2ZDSA800
Fuel Type	Diesel
Engine Power	20 hp, 2-cylinder
Movement System	Semi-Automatic
Blade Lowering System	Hydro-Mechanical
Cutting Depth	20-30 cm
Blade Capacity	400-800 mm
Blade Watering System	12 V Water Pump
Weight	295 kg

Gasoline Asphalt and Concrete Cutting Machine

A2ZDK15

PRODUCT OVERVIEW

The A2ZDK15 Gasoline Asphalt and Concrete Cutting Machine is a compact, practical, and reliable cutting solution designed for asphalt, concrete, floor cutting, repair, maintenance, and surface preparation applications. It is especially suitable for contractors, municipal road maintenance teams, construction professionals, and users who need an easy-to-operate cutting machine for daily job site use.

EXPORT-READY CONFIGURATION

Final model specifications are confirmed with the commercial offer.

TECHNICAL SPECIFICATIONS

Technical Specification	A2ZDK15
Fuel Type	Gasoline
Engine Power	Honda GX200, 6.5 hp
Water Tank	10 L
Cutting Depth	12-15 cm
Blade Capacity	300-350 mm
Oil Sensor	Available
Hour Meter	Available
Package Dimensions	830 × 550 × 960 mm
Weight	67 kg

Gasoline Asphalt and Concrete Cutting Machine

A2ZDK20

PRODUCT OVERVIEW

The A2ZDK20 Gasoline Asphalt and Concrete Cutting Machine is a powerful and practical cutting solution designed for professional asphalt, concrete, road repair, floor cutting, and infrastructure applications. With its strong engine performance, stable body structure, and user-friendly cutting system, it is suitable for contractors, municipal maintenance teams, construction companies, and roadwork professionals who need reliable cutting performance on site.

EXPORT-READY CONFIGURATION

Final model specifications are confirmed with the commercial offer.

TECHNICAL SPECIFICATIONS

Technical Specification	A2ZDK20
Fuel Type	Gasoline
Engine	Honda GX270
Engine Power	9 hp
Water Tank	25 L
Cutting Depth	15-17 cm
Blade Capacity	300-400 mm
Oil Sensor	Available
Hour Meter	Available
Package Size	990 × 550 × 770 mm
Weight	88 kg

Gasoline Asphalt and Concrete Cutting Machine

A2ZDK390

PRODUCT OVERVIEW

The A2ZDK390 Gasoline Asphalt and Concrete Cutting Machine is a powerful and reliable cutting solution designed for professional asphalt, concrete, road repair, floor cutting, and infrastructure applications. With its strong gasoline engine, stable chassis, and practical cutting system, it is suitable for demanding job site conditions where high cutting performance and operator control are required.

EXPORT-READY CONFIGURATION

Final model specifications are confirmed with the commercial offer.

TECHNICAL SPECIFICATIONS

Technical Specification	A2ZDK390
Fuel Type	Gasoline
Engine	Honda GX390
Engine Power	13 hp
Water Tank	30 L
Cutting Depth	18-22 cm
Blade Capacity	300-500 mm
Oil Sensor	Available
Hour Meter	Available
Package Size	930 × 560 × 990 mm
Weight	102 kg



A2Z CONSTRUCTION

LET'S BUILD WHAT'S NEXT.

Contact A2Z Construction for model selection, project-based configurations, commercial offers, and worldwide delivery planning.

CONSTRUCTION SALES

construction@a2zeximco.com

EXPORT CONTACT

oguz.kagan.ates@a2zeximco.com

PHONE / WHATSAPP

+90 553 002 19 52

WEB

a2zeximco.com/en/construction

LOCATION

Ankara, Türkiye

Technical specifications may change by configuration. Final specifications, terms, and delivery scope are confirmed in the commercial offer.