



AGRICULTURAL MACHINERY

FERTILIZER SPREADER

PRODUCT CATALOGUE

Mounted and trailed fertilizer spreading solutions with a complete range of capacities, working widths and mixer configurations.

2026 PRODUCT RANGE

www.a2zeximco.com





STANDARD EQUIPMENT

- Double disc type
- Double hydraulic dosing
- Sieve
- Tent
- Training wheels
- 18-24 m disc kit
- Lexan stickers
- Steel safety barriers
- Cardan shaft

OPTIONAL ACCESSORIES

- Inox disc
- Traffic kit
- Tree fertilization kit

WORKING WIDTH OPTION

You can choose a 10-16 m working width disc set instead of the standard 18-24 m disc set at no extra cost.

TECHNICAL SPECIFICATION	A2ZPLUS 850	A2ZPLUS 1000	A2ZPLUS 1200
Mixer type	Vertical		
Number of spreader discs	2		
Number of vanes per disc	2		
PTO speed (rpm)	540		
Operating speed (km/h)	8-10-12		
Working width* (m)	10-24		
Dry weight (kg)	272	282	300
Fertilizer filling capacity (L)	850	1,000	1,200
Height (cm)	152	163	174
Width (cm)	120		
Length (cm)	182		

FEATURE DETAILS



Dosing gates



Sieve system



Fertilization discs



Vertical mixer



A2ZNovoS

FERTILIZER SPREADER - HORIZONTAL MIXER



STANDARD EQUIPMENT

- Double disc type
- Double hydraulic dosing
- Sieve
- Tent
- Training wheels
- Inox disc kit
- Cardan shaft
- Chrome mixer
- Chrome chain
- Mudguards
- 18-24 m disc kit
- Traffic kit
- Inox cover
- Inox dosing gates
- Inox mixing chamber
- Lexan stickers
- Steel safety barriers

OPTIONAL ACCESSORIES


- 36 m Inox disc kit
- Limiter

WORKING WIDTH OPTION


You can choose a 10-16 m working width disc set instead of the standard 18-24 m disc set at no extra cost.

TECHNICAL SPECIFICATION	A2ZNovoS 12	A2ZNovoS 15	A2ZNovoS 18	A2ZNovoS 20	A2ZNovoS 25	A2ZNovoS 30
Mixer type	Horizontal					
Number of spreader discs	2					
Number of vanes per disc	2					
PTO speed (rpm)	540					
Operating speed (km/h)	8-10-12					
Working width* (m)	10-36					
Dry weight (kg)	440	474	508	542	576	610
Fertilizer filling capacity (L)	1,200	1,500	1,800	2,000	2,500	3,000
Height (cm)	113	126	139	152	165	178
Width (cm)	205					
Length (cm)	132					

FEATURE DETAILS



Pulsating light, traffic set



Viewing window



Inox spreader disc and inox dosing units



Inox mixer, inox fertilizer mixing chamber and flow router



A2ZNovoS LARGE

FERTILIZER SPREADER - HORIZONTAL MIXER



STANDARD EQUIPMENT

- Double disc type
- Stairs
- Large hopper
- Double hydraulic dosing
- Sieve
- Tent
- Training wheels
- Inox disc kit
- Chrome mixer
- Chrome chain
- Mudguards
- 18-24 m disc kit
- Traffic kit
- Inox cover
- Inox dosing gates
- Inox mixing chamber
- Lexan stickers
- Cardan shaft
- Steel safety barriers

OPTIONAL ACCESSORIES

- 36 m Inox disc kit
- Limiter

WORKING WIDTH OPTION

You can choose a 10-16 m working width disc set instead of the standard 18-24 m disc set at no extra cost.

TECHNICAL SPECIFICATION	A2ZNovoS 35 Large
Number of wheels	4
Mixer type	Horizontal
Number of spreader discs	2
Number of vanes per disc	2
PTO speed (rpm)	540
Operating speed (km/h)	8-10-12
Working width* (m)	10-36
Dry weight (kg)	950
Fertilizer filling capacity (L)	2,500
Height (cm)	255
Width (cm)	205
Length (cm)	330

FEATURE DETAILS



Optional Inox hopper



A2ZNovoS MAXI

TRAILED FERTILIZER SPREADER - HORIZONTAL MIXER



STANDARD EQUIPMENT

- Double disc type
- Stairs
- Large hopper
- Double hydraulic dosing
- 10.75-15.3 jumbo tyre
- Sieve
- Tent
- Training wheels
- Inox disc kit
- Chrome mixer
- Chrome chain
- Mudguards
- 18-24 m disc kit
- Traffic kit
- Inox cover
- Inox dosing gates
- Inox mixing chamber
- Lexan stickers
- Cardan shaft
- Steel safety barriers

OPTIONAL ACCESSORIES

- 36 m Inox disc kit
- Limiter

WORKING WIDTH OPTION

You can choose a 10-16 m working width disc set instead of the standard 18-24 m disc set at no extra cost.

TECHNICAL SPECIFICATION	A2ZNovoS 20 Maxi	A2ZNovoS 25 Maxi	A2ZNovoS 30 Maxi
Number of wheels	2		
Mixer type	Horizontal		
Number of spreader discs	2		
Number of vanes per disc	2		
PTO speed (rpm)	540		
Operating speed (km/h)	8-10-12		
Working width* (m)	10-36		
Dry weight (kg)	780	850	920
Fertilizer filling capacity (L)	2,000	2,500	3,000
Height (cm)	255		
Width (cm)	205		
Length (cm)	260		

FEATURE DETAILS



Inox fertilizer disc



Pulled system



Inox spreader disc and inox dosing units



Inox mixer, inox fertilizer mixing chamber and flow router



A2ZNovoS TWIN

TRAILED FERTILIZER SPREADER - HORIZONTAL MIXER



STANDARD EQUIPMENT

- Double disc type
- Stairs
- Large hopper
- Double hydraulic dosing
- 10.75-15.3 jumbo tyre
- Sieve
- Tent
- Training wheels
- Inox disc kit
- Chrome mixer
- Chrome chain
- Mudguards
- 18-24 m disc kit
- Traffic kit
- Inox cover
- Inox dosing gates
- Inox mixing chamber
- Lexan stickers
- Cardan shaft
- Steel safety barriers

OPTIONAL ACCESSORIES

- 36 m Inox disc kit
- Limiter

WORKING WIDTH OPTION

You can choose a 10-16 m working width disc set instead of the standard 18-24 m disc set at no extra cost.

TECHNICAL SPECIFICATION	A2ZNovoS 25 Twin	A2ZNovoS 30 Twin	A2ZNovoS 35 Twin	A2ZNovoS 35 Twin (Large Hopper)
Number of wheels	4			
Mixer type	Horizontal			
Number of spreader discs	2			
Number of vanes per disc	2			
PTO speed (rpm)	540			
Operating speed (km/h)	8-10-12			
Working width* (m)	10-36			
Dry weight (kg)	950	1,020	1,090	1,090
Fertilizer filling capacity (L)	2,500	3,000	3,500	3,500
Height (cm)	255			
Width (cm)	205			
Length (cm)	330			

FEATURE DETAILS



Pendulum axle



Pulled system



Inox spreader disc and inox dosing units



Inox mixer, inox fertilizer mixing chamber and flow router



YOUR TRUSTED SUPPLY PARTNER

Reliable agricultural machinery sourcing, competitive offers and responsive communication for importers, distributors, dealers and commercial partners worldwide.

CONTACT

Oğuz Kağan Ateş

A2ZEXIMCO - Ankara, Türkiye

EMAIL

oguz.kagan.ates@a2zeximco.com

PHONE

+90 553 002 19 52

WEBSITE

www.a2zeximco.com